



Institute of Monitoring of Climatic and Ecological  
Systems SB RAS  
Tomsk State University



# Spatial distribution and features of genesis of mesoscale convective complexes over the south-east of Western Siberia.

T.S. Koshikova, V.A. Zhukova, K.N. Pustovalov,

I.V. Kuzhevskaya, P.M. Nagorskiy

[tkoshikova@gmail.com](mailto:tkoshikova@gmail.com)

# Interpretation mesoscale convective complexes(MCC)




Image in the visible light spectrum of the MODIS KA Terra for June 22, 2017, flyover time 05:45 UTC.

Selection criteria:

$$CTT \leq 200 \text{ K } (-32 \text{ } ^\circ\text{C})$$



$$COT \leq 30$$




$$S \geq 5000 \text{ km}^2; \quad S \geq 10^4 \text{ km}^2$$





For 2010-2019 years fixed:  
279 cases      91 case

# Localization MCC



Smoothed distribution of the frequency of occurrence of all MCC cases in the southeast of Western Siberia.

# Localization MCC



Smoothed distribution of MCC frequency of frontal (a) and airmass (b) origin in the southeast of Western Siberia.

# Estimation of morphological characteristics of MCC and microphysical

	S, $\times 10^3 \text{ km}^2$	Cloud Top Height , km	Cloud Water Path , $\text{kg/m}^2$	Cloud Effective Radius , mkm
All MCC cases	5,2/8,3/17,1	9,2/10,6/12,1	1,0/1,3/1,5	23/26/29
Frontal MCC	5,3/9,2/18,4	9,3/10,6/12,0	1,0/1,3/1,5	22/26/29
Airmass MCC	5,2/7,9/15,9	9,0/10,7/12,1	1,0/1,3/1,5	23/27/29

Values corresponding to the 5th, 50th and 95th percentiles of some parameters of MCC of various genesis.



## Conclusions:

- ▶ The maximum frequency of MCC is observed over the northwestern slopes of the Altai Mountains, the Salair Ridge and the Baraba Lowland.
- ▶ The ICC recurrence center over the north-west of the Altai Mountains is represented by airmass cases, and the centers over the Salair Ridge and the Barabinskaya Lowland are frontal.
- ▶ Increasing the frequency of occurrence of the ICC observed over the eastern part of the Vasyugan swamp.

Allocated 4 classes of MCC over the south of Western Siberia:

- ▶ Class 1: small, low, low-water;
- ▶ Class 2: large, low, low-water;
- ▶ Class 3: small tall aquatic;
- ▶ Class 4: large high aquatic.



**Thank you for your the attention!**

This work was supported by the grant of the President of the Russian Federation (MK-489.2020.5).